

DT19 PCT/PTO 23 OCT 2002



PCT Receipt  
Filed in Duplicate

Practitioner's Docket No. 30394-1057

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: VAN DER HEIDE, et al.

Application No.: 0 9 / 936,632

Group No.: 2856

Filed: February 21, 2002

Examiner: A.K. Jackson

For: APPARATUS FOR THE INTERNAL INSPECTION OF PIPES AND TUBES AND THE LIKE

Assistant Commissioner for Patents  
Washington, D.C. 20231

Attn: Office of Initial Patent Examination  
Customer Service Center

TC 2800 MAIL ROOM

NOV - 7 2002

RECEIVED

#14  
CFIL  
11 12 12  
JJS

REQUEST FOR CORRECTED FILING RECEIPT

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

NOTE: The PTO will not correct the filing receipt until the application is complete (in other words, the applicant files a response to the notice to file missing parts).

2. There is an error with respect to the following data, which is:

☒ Incorrectly entered

and/or

☐ omitted.

Error in

1. ☒ Applicant's name
2. ☒ Applicant's address
3. ☐ Title
4. ☐ Filing Date
5. ☐ Application Number
6. ☒ Foreign/PCT Application Re:
7. ☐ Other

Correct data

1. SIEMEN ROELOF VAN DER HEIDE
2. Leonardus Johannes Gruitroij, WESTERVQORT,  
the Netherlands
- 3.
- 4.
- 5.
6. NETHERLANDS NL 1011525 03/11/1999
- 7.

CERTIFICATE OF MAILING/TRANSMISSION (37 C.F.R. § 1.8a)

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

☒ deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

FACSIMILE

☐ transmitted by facsimile to the Patent and Trademark Office.

Date: October 17, 2002

Signature

Jeffrey D. Myers

(type or print name of person certifying)

(Request for Corrected Filing Receipt [5-8]—page 1 of 2)

Correction of the first applicant's name from SLEMEN ROELOF VAN DER HEIDE to SIEMEN ROELOF VAN DER HEIDE is requested.

Correction of second inventor-Gruitroij's residence from WETERVOORT to WESTERVOORT is requested.

Correction of the priority claim from ISRAEL NL 1011525 to NETHERLANDS NL 1011525 is requested.

3. *(complete the following applicable item)*

A. ☐ The correction(s) is/are not due to any error by applicant and no fee is due.

**OR**

B. ☒ At least one of the above corrections is due to applicant's error and the fee therefor, under 37 C.F.R. § 1.19(h), of \$25.00 is paid as follows:

☐ Enclosed is check for \$25.00.

☒ Charge Account 13-4213 \$25.00.

Reg. No.: 35,964

Tel. No.: (505) 998-1500

Customer No.: 005179

  
SIGNATURE OF PRACTITIONER Jeffrey D. Myers


Peacock, Myers & Adams, P.C.

*(type or print name of practitioner)*

Post Office Box 26927

Albuquerque, New Mexico 87125-6927

P.O. Address



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO.	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/936,632	02/21/2002	2856	1260	30394-1057	1	7	1

CONFIRMATION NO. 7250

005179  
PEACOCK MYERS AND ADAMS P C  
P O BOX 26927  
ALBUQUERQUE, NM 871256927

## FILING RECEIPT



\*OC000000008523770\*

Date Mailed: 07/31/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s) *Siemen*

*Westervoort*  
~~Siemen~~ Roelof Van Der Heide, Oude Hesele, NETHERLANDS;  
Leonardus Johannes Gruitroij, ~~Westervoort~~, NETHERLANDS;  
Joost Martinus Hermanus Parent, Quebec, CANADA;  
Christiaan Willem Schomper, Ede, NETHERLANDS;

## D mestic Priority data as claimed by applicant

THIS APPLICATION IS A 371 OF PCT/NL00/00163 03/10/2000

## Foreign Applications

*Netherlands*  
ISRAEL NL 1011525 03/11/1999

Projected Publication Date: Not Applicable, filed prior to November 29, 2000

Non-Publication Request: No

Early Publication Request: No

## Title

Apparatus for the internal inspection of pipes and tubes and the like

## Preliminary Class

RECEIVED  
NOV - 7 2002  
TC 2800 MAIL ROOM

RECEIVED

AUG 6 - 2002

Peacock, Myers &amp; Adams, PC